

Publications internationales communes 2018 (n=50)

LyTONEPAL: long term outcome of neonatal hypoxic encephalopathy in the era of neuroprotective treatment with hypothermia: a French population-based cohort.

T. Debillon, N. Bednarek^{10,18}, A. Ego.

BMC Pediatrics, 18(1) 2018. 10.1186/s12887-018-1232-6.

Measurement variability of liver metastases from neuroendocrine tumors on different magnetic resonance imaging sequences.

T. Lestra¹⁸, L. Kanagaratnam¹⁸, S. Mulé¹⁸, A. Janvier¹⁸, H. Brixi¹⁸, G. Cadiot¹⁸, A. Dohan, C. Hoeffel^{10,18}.

Diagnostic and Interventional Imaging, 99(2):73-81, 2018. 10.1016/j.diii.2017.12.009.

Evaluation of measurement variability in quantitative analyses: Application to dynamic contrast-enhanced MRI histogram analysis in rectal cancer.

S. Mulé, C. Hoeffel^{10,18}.

Diagnostic and Interventional Imaging, 99(7-8):421-422, 2018. 10.1016/j.diii.2018.06.005.

Significant prevalence of NR3C1 mutations in incidentally discovered bilateral adrenal hyperplasia: results of the French MUTA-GR Study.

G. Vitelli¹⁸, S. Trabado, C. Hoeffel¹⁰, J. Bouligand, A. Bennet, F Castinetti, B. Decoudier¹⁸, A. Guiochon-Mantel, M. Lombes, Brigitte Delemer¹⁸.

European Journal of Endocrinology, 178(4):411-423, 2018. 10.1530/EJE-17-1071.

Temporal uptake patterns of 18F-fluorocholine among hyperfunctioning parathyroid glands.

D. Morland^{10,18}, C. Richard¹⁹, F. Godard, S. Deguelte¹⁸, B. Delemer¹⁸.

Clinical Nuclear Medicine, 43(7):504–505, 2018. 10.1097/RLU.0000000000002132.

Periurethral mass mimicking neoplasm after injection of macroplastique for postprostatectomy stress incontinence: A pitfall on 18F-FDG PET/CT.

C. Richard, S. Dejust¹⁹, A. Moubtakir, C. Bruna-Muraille, D. Morland.

Clinical Nuclear Medicine, 43(5):381–382, 2018. 10.1097/RLU.0000000000002043.

18F-FDG PET/CT in anti-NMDA receptor encephalitis: Typical pattern and follow-up.

A. Moubtakir, S. Dejust¹⁹, F. Godard, L. Messaoud, D. Morland.

Clinical Nuclear Medicine, 43(7):520–521, 2018.

Everolimus-induced pulmonary toxicity.

S. Dejust¹⁹, D. Morland^{18,19}, C. Bruna-Muraille¹⁹, JC. Eymard¹⁹, G. Yazbek¹⁹, AM. Savoye¹⁹, D. Papathanassiou^{10,18,19}.
Medicine, 97(40):e12518, 2018. 10.1097/MD.00000000000012518.

Advanced hepatocellular carcinoma: Pretreatment contrast-enhanced CT texture parameters as predictive biomarkers of survival in patients treated with Sorafenib.

S. Mulé, G. Thiefin, C. Costentin, C. Durot, A. Rahmouni, A. Luciani, C. Hoeffel^{10,18}.

Radiology, 288(2):445-455, 2018. 10.1148/radiol.2018171320.

Hepatic Metastases From Prostatic Adenocarcinoma Without Elevated 18F-Choline Activity.

S. Dejust, L. Messaoud, P. Jallerat, V. Marical, D. Morland.

Clinical Nuclear Medicine, 43(10):780-781, 2018. 10.1097/RLU.0000000000002254.

What the radiologist should know about postoperative MDCT evaluation of a patient treated with cytoreductive surgery with or without hyperthermic intraperitoneal chemotherapy.

C. Durot¹⁸, P. Rousset, A. Thivolet, G. Passot, S. Deguelte¹⁸, A Dohan, O. Glehen, C. Hoeffel^{10,18}.

Clinical Radiology, 73(6):517-525, 2018. 10.1016/j.crad.2018.02.001.

An iterative multi-atlas patch-based approach for cortex segmentation from neonatal MRI.

C. Tor-Díez, N. Passat¹⁰, I. Bloch, S. Faisan, N. Bednarek^{10,18}, F. Rousseau.

The Interleukin-17 Family of Cytokines in Breast Cancer.

JAS. Fabre^{17,19}, J. Giustinniani, C. Garbar^{17,19}, Y. Merrouche^{17,19}, F. Antonicelli^{17,19}, A. Bensussan¹⁹.
Int J Mol Sci. 2018 Dec 4;19(12):3880. doi: 10.3390/ijms19123880.

Mucosal Involvement in Bullous Pemphigoid Is Mostly Associated with Disease Severity and to Absence of Anti-BP230 Autoantibody.

A Clapé¹⁸, C. Muller¹⁸, G. Gatouillat, S. Le Jan^{17,18}, C. Barbe¹⁸, BN. Pham^{17,18}, F. Antonicelli^{17,18}, P. Bernard¹⁸.
Front Immunol. 2018 Mar 13;9:479. doi: 10.3389/fimmu.2018.00479. eCollection 2018.

Autoantibodies Associated With Connective Tissue Diseases: What Meaning for Clinicians?

K. Didier¹⁸, L. Bolko¹⁸, D. Giusti^{17,18}, S. Toquet¹⁸, A. Robbins¹⁸, F. Antonicelli^{17,18}, A. Servettaz¹⁸.
Front Immunol. 2018 Mar 26;9:541. doi: 10.3389/fimmu.2018.00541. eCollection 2018.

Anti-Type VII Collagen Antibodies Are Identified in a Subpopulation of Bullous Pemphigoid Patients With Relapse.

D. Giusti¹⁷, G. Gatouillat, S. Le Jan^{17,18}, J. Plée¹⁸, P. Bernard¹⁸, F. Antonicelli^{17,18}, BN. Pham^{17,18}.
Front Immunol. 2018 Mar 21;9:570. doi: 10.3389/fimmu.2018.00570. eCollection 2018.

Rituximab as Single Long-term Maintenance Therapy in Patients With Difficult-to-Treat Pemphigus.

J. Sanchez, S. Ingen-Housz-Oro, O. Chosidow, F. Antonicelli^{17,18}, P. Bernard¹⁸.
JAMA Dermatol. 2018 Mar 1;154(3):363-365. doi: 10.1001/jamadermatol.2017.5176.

Copper Alloy Touch Surfaces in Healthcare Facilities: An Effective Solution to Prevent Bacterial Spreading.

M. Colin¹³, F. Klingelschmitt¹³, E. Charpentier¹³, J. Josse¹³, L. Kanagaratnam¹⁸, C. De Champs¹⁸, SC. Gangloff¹³.
Materials (Basel). 2018 Dec 6;11(12):2479. doi: 10.3390/ma11122479.

Combining Calcium Phosphates with Polysaccharides: A Bone-Inspired Material Modulating Monocyte/Macrophage Early Inflammatory Response.

H. Ramma¹³, C. Bour¹³, M. Dubus¹³, L. Entz¹³, L. Aubert¹³, SC. Gangloff¹³, S. Audonnet²⁰, NB. Bercu¹¹, C. Mauprize¹³, H. Kerdjoudj¹³.
Int J Mol Sci. 2018 Nov 3;19(11):3458. doi: 10.3390/ijms19113458.

Contribution of Fluorescence Techniques in Determining the Efficiency of the Non-thermal Plasma Treatment.

G. Carré¹³, E. Charpentier¹³, S. Audonnet²⁰, C. Terryn²⁰, M. Boudifa, C. Doliwa¹³, ZB. Belgacem¹³, SC. Gangloff¹³, MP. Gelle¹³.
Front Microbiol. 2018 Sep 10;9:2171. doi: 10.3389/fmicb.2018.02171. eCollection 2018.

Predictive factors for clinically significant pharmacist interventions at hospital admission.

C. Mongaret¹³, P. Quillet¹⁸, TH. Vo¹⁸, L. Aubert¹³, M. Fourgeaud¹⁸, E. Michelet-Huot¹⁸, M. Bonnet¹⁸, P. Bedouch¹⁸, F. Slimano¹⁸, SC. Gangloff¹³, M. Drame¹⁸, D. Hettler¹⁸.
Medicine (Baltimore). 2018 Mar;97(9):e9865. doi: 10.1097/MD.0000000000009865.

Chemical constituents of *Genista numidica* Spach aerial parts and their antimicrobial, antioxidant and antityrosinase activities.

A. Alabdul Magid², A. Abedini², SC. Gangloff¹³, L. Voutquenne-Nazabadioko².
Nat Prod Res. 2019 Jun;33(12):1734-1740. doi: 10.1080/14786419.2018.1437425. Epub 2018 Feb 15.

Antimicrobial peptide gene expression in periodontitis patients: A pilot study.

ML. Jourdain^{13,18}, L. Pierrard¹⁸, L. Kanagaratnam¹⁸, F. Velard¹³, J. Sergheraert^{13,18}, B. Lefèvre¹⁸, SC. Gangloff¹⁸, J. Braux^{13,18}.
J Clin Periodontol. 2018 May;45(5):524-537. doi: 10.1111/jcpe.12879. Epub 2018 Mar 23.

Two new bis-iridoids isolated from *Scabiosa stellata* and their antibacterial, antioxidant, anti-tyrosinase and cytotoxic activities.

A. Alabdul Magid², J. Hubert², L. Voutquenne-Nazabadioko², JH. Renault², JM. Nuzillard², H. Morjani¹⁵, A. Abedini², SC. Gangloff¹³.

Fitoterapia. 2018 Mar;125:41-48. doi: 10.1016/j.fitote.2017.12.018. Epub 2017 Dec 19.

Synthesis and biological evaluation of pyridazinone derivatives as potential anti-inflammatory agents.

C. Barberot², A. Moniot¹³, I. Allart-Simon², L. Malleret, T. Yegorova, M. Laronze-Cochard², A. Bentaher , M. Médebielle, JP. Bouillon, E. Hénon², J. Sapi², F. Velard¹³, S. Gérard².

Eur J Med Chem. 2018;146:139-146.

Discovery of new inhibitors of *Toxoplasma gondii* thanks to the Pathogen Box.

J. Spalenka^{2,8}, S. Escotte-Binet⁸, A. Bakiri², J. Hubert², JH. Renault², F. Velard¹³, S. Duchateau⁸, D. Aubert⁸, A. Huguenin⁸, I. Villena⁸.

Antimicrob Agents Chemother. 2018;62(2): pii: e01640-17.

Elastin molecular aging promotes MDA-MB-231 breast cancer cell invasiveness.

S. Salesse¹, L. Odoul¹, L. Chazée¹, C. Garbar¹⁹, L. Duca¹, L. Martiny¹, R. Mahmoudi⁷, L. Debelle¹.

FebS Open Bio 2018 Aug 2;8(9):1395-1404. doi: 10.1002/2211-5463.12455. eCollection 2018 Sep.

Inherited and Acquired Decrease in Complement Receptor 1 (CR1) Density on Red Blood Cells Associated with High Levels of Soluble CR1 in Alzheimer's Disease.

R. Mahmoudi⁷, S. Feldman, A. Kisserli^{11,18}, V. Duret^{11,18}, T. Tabary^{11,18}, LA. Bertholon¹⁸, S. Badr¹⁸, V. Nonnonhou¹⁸, A. Cesar¹⁸, A. Neuraz, JL. Novella^{7,18}, JHM. Cohen^{11,18}.

Int J mol Sci 2018 Jul 25;19(8):2175. doi: 10.3390/ijms19082175.

Factors associated with quality of life in patients with Alzheimer's disease.

C. Barbe^{7,18}, D. Jolly^{7,18}, I. Morrone^{7,14,18}, A. Wolak-Thierry^{7,18}, M. Dramé^{7,18}, JL. Novella^{7,18}, R. Mahmoudi^{7,18}, (2018).

BMC Geriatrics, 18(1), 159. DOI: 10.1186/s12877-018-0855-7.

Food addiction, as assessed with the Yale Food Addiction Scale 2.0, is a reliable and prevalent phenotype in obese patients undergoing bariatric surgery.

F. Benzerouk^{14,18}, F. Gierski^{14,18}, PH. Ducluzeau, C. Bourbao-Tournois, I. Gaubil-Kaladjian¹⁸, E. Bertin¹⁸, A. Kaladjian^{14,18}, N. Ballon, P. Brunault, (2018).

Psychiatry research, 267, 473-479. DOI : 10.1016/j.psychres.2018.05.087.

Factors associated with deaths from suicide in a French nationwide HIV-infected cohort.

M. Hentzien¹⁸, A. Cabie, P. Pugliese, E. Billaud, I. Poizot-Martin, C. Duvivier, MA. Valantin, A. Kaladjian^{14,18}, M. Dramé^{7,18}, F. Bani-Sadr^{1,12}, Dat'AIDS Study Group. (2018).

HIV Medicine, Online ahead of print. DOI: 10.1111/hiv.12633.

Should Whole Body Cryotherapy sessions be differentiated between women and men? A preliminary study on the role of the body thermal resistance.

G. Polidori, S. Cutell, L. Hammond, D. Langdon, FD. Legrand¹⁴, R. Taiar, FC. Boyer^{7,18}, JT. Costello.

Medical Hypotheses (2018), 120, 60-64. DOI : 10.1016/j.mehy.2018.08.017.

Infrared thermography for assessing skin temperature differences between Partial Body Cryotherapy and Whole Body Cryotherapy devices at- 140° C.

G. Polidori, R. Taiar, FD. Legrand¹⁴, F. Beaumont, F. Murer, F. Bogard, FC. Boyer^{7,18}.

Infrared Physics & Technology (2018), 93,158-161. DOI : 10.1016/j.infrared.2018.07.025.

Effects of Whole Body Cryotherapy on health-related quality of life in fibromyalgia patients: a randomized controlled trial.

M. Vitenet¹⁸, F. Tubezy, A. Marreiro, G. Polidori, R. Taiar, FD. Legrand¹⁴, FC. Boyer^{7,18}.

Effects of Complementary Therapies in Medicine (2018), 36,6-8. DOI : 10.1016/j.ctim.2017.10.011.

Functional outcome and social cognition in bipolar disorder: is there a connection?

M. Vlad¹⁸, D. Raucher-Chéné^{14,18}, A. Henry^{14,18}, A. Kaladjian^{14,18}.

Biocompatibility of Gd-loaded chitosan-hyaluronic acid nanogels as contrast agents for magnetic resonance cancer imaging.

CV. Gheran, G. Rigaux², M. Callewaert², A. Berquand^{11,20}, M. Molinari^{11,20}, F. Chuburu², S.N. Voicu, A. Dinischiotu. *Nanomaterials* (2018) 8, 1-19, DOI: 10.3390/nano8040201.

Structural characterization and in vivo pro-tumor properties of a highly conserved matrikine.

J. Da Silva¹, P. Lameiras², A. Beljebbar¹, A. Berquand^{11,20}, M. Villemain¹, L. Ramont^{1,18}, S. Dukic¹, JM. Nuzillard², M. Molinari¹¹, S. Gautier, S. Brassart-Pasco¹, B. Brassart¹.

Oncotarget (2018) 9, 17839-17857, DOI: 10.18632/oncotarget.24894.

Effect of the semiconductor quantum dot shell structure on fluorescence quenching by acridine ligand.

PA. Linkov^{2,11}, KV. Vokhmincev, PS. Samokhvalov, M. Laronze-Cochard², J. Sapi², I.R. Nabiev¹¹. *JETP Letters* (2018) 107 (4), 233–237. DOI:10.1134/S0021364018040070.

The effect of quantum dot shell structure on fluorescence quenching by acridine ligand.

PA. Linkov^{2,11}, KV. Vokhmincev, PS. Samokhvalov, M. Laronze-Cochard², J. Sapi², I. Nabiev¹¹. *KNE Energy & Physics* (2018), 194–201. DOI: 10.18502/ken.v3i2.1813

Carbamylation is a competitor of glycation for protein modification in vivo.

C. Nicolas¹, S. Jaisson¹, L. Gorisse¹, FJ.Tessier^{FED4231}, C. Niquet-Léridon^{FED4231}, P. Jacolot, C. Pietrement¹, P. Gillery¹.

Diabetes Metab. 2018; 44(2): 160-167. (*SFR-Lasalle Beauvais*)

LRP1 expression in colon cancer predicts clinical outcome.

C. Boulagnon-Rombi^{1,18}, C. Schneider^{1,18}, C. Leandri¹⁸, A. Jeanne¹, V. Grybek¹⁸, AM. Bressenot¹, C. Barbe¹⁸, B. Marquet¹⁸, S. Nasri, C. Coquelet, C. Fichel¹⁸, N. Bouland¹⁸, A. Bonnomet²⁰, R. Kianmanesh¹⁸, AS. Lebre¹⁸, O. Bouché¹⁸, MD. Diebold^{1,18}, G. Bellon^{1,11}, S. Dedieu^{1,18}.

Oncotarget. 2018; 9(10): 8849-8869

Characterization of inflammatory breast cancer: a vibrational microspectroscopy and imaging approach at the cellular and tissue level.

HT. Mohamed, V. Untereiner²⁰, I. Proult¹, SA. Ibrahim, M. Götte, M. El-Shinawi, MM. Mohamed¹⁵, GD. Sockalingum¹⁵, S. Brézillon¹.

Analyst. 2018 Dec 3;143(24):6103-6112. doi: 10.1039/c8an01292j.

Quantitative characterization of single-cell adhesion properties by atomic force microscopy using protein-functionalized microbeads.

L. Chièze¹¹, A. Le Cigne¹¹, M. Meunier¹, A. Berquand¹¹, S. Dedieu¹, J. Devy¹, M. Molinari¹¹.

Journal of Molecular Recognition, Nov 7:e2767. doi: 10.1002/jmr.2767.

First plasma and tissue pharmacokinetic study of the YNSG cyclopeptide, a new integrin antagonist, using microdialysis.

F. Slimano¹, Z. Djerada⁹, S. Bouchene⁹, L. Van Gulick¹, S. Brassart-Pasco¹, S. Dukic¹.

Eur J Pharm Sci. 2017 Jul 15;105:178-187. doi: 10.1016/j.ejps.2017.05.016. Epub 2017 May 13.

Conformation-dependent binding of a Tetrastatin peptide to αvβ3 integrin decreases melanoma progression through FAK/PI3K/Akt pathway inhibition.

E. Lambert^{1,11}, E. Fuselier¹, L. Ramont^{1,18}, B. Brassart¹, S. Dukic¹, JB. Oudart^{1,18}, A. Dupont-Deshorgue¹, C. Sellier¹, C. Machado², M. Dauchez¹, JC. Monboisse^{1,18}, FX. Maquart^{1,18}, S. Baud¹, S. Brassart-Pasco¹.

Sci Rep. 2018 Jun 29;8(1):9837.

Age-related modifications of type I collagen impair DDR1-induced apoptosis in non-invasive breast carcinoma cells.

C. Saby¹, H. Rammal¹, K. Magnien¹, E. Buache¹, S. Brassart-Pasco¹, L. Van-Gulick¹, P. Jeannesson¹, E. Maquoi, H. Morjani¹.

Cell Adh Migr. 2018 Jun 28:1-13.

Production of Elastin-Derived Peptides Contribute to the Development of Non-Alcoholic Steatohepatitis.

B. Romier¹, C. Ivaldi¹, H. Sartelet¹, A. Heinz, C. Schmelzer, R. Garnotel¹, A. Guillot¹, J. Jonquet¹, E. Bertin¹⁸, JL. Guéant, JM. Alberto, JP. Bronowicki, J. Amoyel, T. Hocine¹, L. Duca¹, P. Maurice¹, A. Bennasroune¹, L. Martiny¹, I. Debelle¹, V. Durlach¹, S. Blaise¹.

Diabetes. 2018 Aug;67(8):1604-1615.

Molecular analysis of differential antiproliferative activity of resveratrol, epsilon viniferin and labruscol on melanoma cells and normal dermal cells.

L. Nivelle¹, J. Hubert, E. Courot, P. Jeandet, A. Aziz, JM. Nuzillard², JH. Renault², C. Clément², L. Martiny¹, D. Delmas, M. Tarpin¹.

Food Chem Toxicol. 2018 Jun;116(Pt B):323-334.

Four monomeric copper (III) complex of non-steroidal anti-inflammatory drug Ibuprofen and N-donor ligands: Syntheses, characterization, crystal structures and cytotoxicity studies.

S. Kumar, Shipra, RP. Sharma, P. Venugopalan, L. Tenti, V. Ferretti, N. Nivelle¹, M. Tarpin²⁰, E. Guillon².

New Journal of Chemistry, 41 ; 8253-8262.

Mollusc Bivalves as Indicators of contamination of water bodies by protozoan parasites.

M. Palos Ladeiro⁴, D. Aubert⁸, A. Bigot-Clivot⁴, L. Durand⁸, L. Favenne, G. Gargala, E. Geba⁴, S. La Carbona, F. Le Foll⁴, A. Le Guernic⁴, M. Leprêtre⁴, S. Pierre, I. Villena⁸, A. Geffard A⁴.

Encyclopedia of Environmental Health, DOI: 10.1016/B978-0-12-409548-9.10979-0

Publications internationales communes 2017 (n=37)

Cloninger's temperament and character dimensions of personality and binge drinking among college students.

F. Gierski^{14,18}, F. Benzerouk^{14,18}, E. De Wever, T. Duka, A. Kaladjian^{14,18}, V. Quaglino, M. Naassila.

Alcoholism: Clinical and Experimental Research (2017). DOI: 10.1111/acer.13497 (IF: 2.716).

Binge eating, but not other disordered eating symptoms, is a significant contributor of binge drinking severity: findings from a cross-sectional study among French students.

B. Rolland, M. Naassila, C. Duffau, H. Houchi, F. Gierski^{14,18}, J. André.

Frontiers in Psychology – Psychopathology (2017). (IF: 2.323).

Altered white matter integrity in whole brain and segments of corpus callosum, in young social drinkers with binge drinking pattern.

KW. Smith, F. Gierski^{14,18}, J. André, NG. Dowell, M. Cercignani, M. Naassila, T. Duka.

Addiction Biology (2017) 22(2):490-501. (IF: 4.55).

Impact of functional alterations on quality of life in patients with Alzheimer's disease.

C. Barbe⁷, I. Morrone^{7,18}, A. Wolak-Thierry^{7,18}, M. Dramé^{7,18}, D. Jolly^{7,18}, JL. Novella^{7,18}, R. Mahmoudi^{7,18}.

Aging Ment Health (2017), 21(5), 571-576. DOI : 10.1080/13607863.2015.1132674.

Exploring quality of life in people with slowly-progressive neuromuscular disease.

A. Dany^{7,18}, A. Rapin¹⁸, C. Réveillère, A. Calmus^{14,18}, V. Tiffreau, I. Morrone^{7,14,18}, JL. Novella^{7,18}, D. Jolly^{7,18}, FC. Boyer^{7,18}, (2017).

Disability and Rehabilitation, 39(13), 1262-1270. DOI : 10.1080/09638288.2016.1191552.

Social cognition in different forms of multiple sclerosis.

A. Henry^{14,18}, A. Tourbah¹⁸, MP. Chaunu¹⁸, S. Bakchine¹⁸, M. Montreuil.

Journal of the International Neuropsychological Society (2017), 23, 1-12, DOI :10.1017/S1355617717000510.

Functional brain neuroimaging-guided repetitive transcranial magnetic stimulation in neurodevelopmental disorders: The case of a schizencephaly-related spastic dystonia.

K. Vucurovic^{14,18}, S. Emeriau¹⁸, JM. Coulon¹⁸, P. Peruzzi¹⁸, CF. Litré¹⁸, A. Kaladjian^{14,18}.

Journal of the Neurological Sciences (2017), 378, 167-169. DOI : 10.1016/j.jns.2017.05.012.

Class I HDAC Inhibitors: Potential New Epigenetic Therapeutics for Alcohol Use Disorder (AUD).

E. Bourguet², K. Ozdarska², G. Moroy, J. Jeanblanc², M. Naassila².

J. Med. Chem. 2017, acceptée, doi: 10.1021/acs.jmedchem.7b00115.

Epigenetic mechanisms and alcohol use disorders: a potential therapeutic target.

R. Legastelois, J. Jeanblanc, C Vilpoux, E. Bourguet², M. Naassila.

Biol. Aujourd'hui 2017, 211, 83-91. doi: 10.1051/jbio/2017014.

The Transient Receptor Potential Melastatin 7 Channel Regulates Pancreatic Cancer Cell Invasion through the Hsp90α/uPA/MMP2 pathway.

P. Rybarczyk^{FED4231}, A. Vanlaeys, B. Brassart¹, I. Dhennin-Duthille¹, D. Chatelain, H. Sevestre^{FED4231}, H. Ouadid-Ahidouch^{FED4231}, M. Gautier^{FED4231}.

Neoplasia. 2017 Apr;19(4):288-300. (SFR-UPJV)

Triterpene glycosides from the aerial parts of Gouania longipetala.

DP. Gossan², A. Alabdul Magid², PA. Yao-Kouassi, A. Ahibo Coffy, J. Josse¹³, SC. Gangloff¹³, H. Morjani¹, L. Voutquenne-Nazabadioko².

Phytochemistry. 2017 Feb;134:71-77.

Isolation and characterisation of cytotoxic compounds from Euphorbia clementei Boiss.

A. Benmerache², A. Alabdul Magid², A. Labed, A. Kabouche, L. Voutquenne-Nazabadioko², J. Hubert², H. Morjani¹, Z. Kabouche.

Nat Prod Res. 2017 Sep;31(18):2091-2098.

Oleanane-type triterpene saponins from Calendula stellata.

M. Lehbili², A. Alabdul Magid², A. Kabouche², L. Voutquenne-Nazabadioko², A. Abedini², H. Morjani¹, T. Sarazin¹, SC. Gangloff¹³, Z. Kabouche.

Phytochemistry. 2017 Sep 4;144:33-42.

Antibacterial, antioxidant and cytotoxic activities of triterpenes and flavonoids from the aerial parts of Salvia barrelieri Etli.

M. Lehbili², A. Alabdul Magid², A. Kabouche, L. Voutquenne-Nazabadioko², A. Abedini^{2,13}, H. Morjani¹, SC. Gangloff¹³, Z. Kabouche.

Nat Prod Res. 2017 Sep 19:1-9.

A new 2-alkylhydroquinone glucoside from Phagnalon saxatile (L.) Cass.

H. Cherchar, M. Lehbili, D. Berrehal, H. Morjani¹, A. Alabdul Magid², L. Voutquenne-Nazabadioko², A. Kabouche, Z. Kabouche.

Nat Prod Res. 2017 Sep 25:1-7.

Association between host species choice and morphological characters of main sensory structures of Culicoides in the Palaearctic region.

D. Augot, L. Hadj-Henni, SE. Strutz, D. Slama, C. Millot, J. Depaquit¹⁸, J.M. Millot¹¹.

PEERJ (2017), 5, e3478, DOI: 10.7717/peerj.3478.

Characterization of Gd loaded chitosan-TPP nanohydrogels by a multi-technique approach combining dynamic light scattering (DLS), asymmetrical flow-field-flow-fractionation (AF4) and atomic force microscopy (AFM) and design of positive contrast agents for molecular resonance imaging (MRI).

G. Rigaux², CV. Gheran, M. Callewaert², C. Cadiou², SN. Voicu, A. Dinischiotu, MC. Andry², L. Vander Elst, S. Laurent, RN. Muller, A. Berquand^{11,20}, M. Molinari¹¹, S. Huclier-Markai, F. Chuburu².

Nanotechnology (2017) 28(5), 055705, DOI: 10.1088/1361-6528/aa5188.

Microstructure aspects of radiation-cured networks: cationically polymerized aromatic epoxy resins.

C. Kowandy², G. Ranoux², M. Walo, B. Vissouvanadin, G. Teyssedre, C. Laurent, A. Berquand^{11,20}, M. Molinari¹¹, X. Coqueret².

Radiation Physics & Chemistry (2017) 143, 20-26, DOI: 10.1016/j.radphyschem.2017.09.006.

Biocompatibility of sol-gel hydroxyapatite-titania composite and bilayer coatings.

D. Sidane, H. Rammal¹³, A. Beljebbar¹, SC. Gangloff¹³, D. Chicot, F. Velard¹³, H. Khireddine, A. Montagne, H. Kerdjoudj¹³.

Mater Sci Eng C Mater Biol Appl. 2017 Mar 1;72:650-658. doi: 10.1016/j.msec.2016.11.129. Epub 2016 Dec 5.

Collagen-Based Medical Device as a Stem Cell Carrier for Regenerative Medicine.

L. Aubert¹³, M. Dubus¹³, H. Rammal¹³, C. Bour¹³, C. Mongaret¹³, C. Boulagnon-Rombi¹⁸, R. Garnotel¹, C. Schneider⁶, R. Rahouadj, C. Laurent, SC. Gangloff¹³, F. Velard¹³, C. Mauprivel¹³, H. Kerdjoudj¹³.

Int J Mol Sci. 2017 Oct 21;18(10):2210. doi: 10.3390/ijms18102210.

Bioinspired Nanofeatured Substrates: Suitable Environment for Bone Regeneration.

H. Rammal¹³, M. Dubus¹³, L. Aubert¹³, F. Reffuveille¹³, D. Laurent-Maquin¹³, C. Terryn²⁰, P. Schaaf, H. Alem, G. Francius, F. Quilès, SC. Gangloff, F. Boulmedais, H. Kerdjoudj¹³.

ACS Appl Mater Interfaces. 2017 Apr 12;9(14):12791-12801. doi: 10.1021/acsami.7b01665. Epub 2017 Mar 30.

Triterpenoid saponins and other glycosides from the stems and bark of *Jaffrea xerocarpa* and their biological activity.

D. Muhammad², N. Lalun, H. Bobichon, E. Le Magrex Debar¹³, SC. Gangloff¹³, M. Nour, L. Voutquenne-Nazabadioko².

Phytochemistry. 2017 Sep;141:121-130. doi: 10.1016/j.phytochem.2017.05.018.

Abietane diterpenes from the cones of *Abies numidica de Lannoy ex Carrière* (Pinaceae) and in vitro evaluation of their antimicrobial properties.

M. Belhadj Mostefa, A. Abedini², L. Voutquenne-Nazabadioko², SC. Gangloff¹³, A. Kabouche, Z. Kabouche.

Nat Prod Res. 2017 Mar;31(5):568-571. doi: 10.1080/14786419.2016.1190723. Epub 2016 May 30. PMID: 27237830.

Chemical composition, antioxidant and antibacterial activities of *Tamarix balansae* J. Gay aerial parts.

A. Benmerache, M. Benteldjoune, A. Alabdul Magid², A. Abedini², D. Berrehal, A. Kabouche, SC. Gangloff¹³, L. Voutquenne-Nazabadioko², Z. Kabouche.

Nat Prod Res. 2017 Dec;31(24):2828-2835. doi: 10.1080/14786419.2017.1299729. Epub 2017 Mar 10.

Role of LRP-1 in cancer cell migration in 3-dimensional collagen matrix.

A. Appert-Collin¹, A. Bennasroune¹, P. Jeannesson¹, C. Terryn²⁰, G. Fuhrmann², H. Morjani¹, S. Dedieu¹.

Cell Adh Migr. 2017 Jul 4;11(4):316-326. doi: 10.1080/19336918.2016.1215788.

Matricellular TSP-1 as a target of interest for impeding melanoma spreading: towards a therapeutic use for TAX2 peptide.

A. Jeanne^{1,18}, C. Boulagnon-Rombi^{1,18}, J. Devy¹, L. Théret¹, C. Fichel¹⁸, N. Bouland¹⁸, MD. Diebold^{1,18}, L. Martiny¹, C. Schneider¹, S. Dedieu¹.

Clin Exp Metastasis. 2017 Oct;33(7):637-49. doi: 10.1007/s10585-016-9803-0..

Lumican delays melanoma growth in mice and drives tumor molecular assembly as well as response to matrix-targeted TAX2 therapeutic peptide.

A. Jeanne¹, V. Untereiner^{1,20}, C. Perreau¹, I. Proult¹, C. Gobinet¹, C. Boulagnon-Rombi^{1,18}, C. Terryn²⁰, L. Martiny¹, S. Brézillon^{1,18}, S. Dedieu¹.

Sci Rep. 2017 Aug 9;7(1):7700. doi: 10.1038/s41598-017-07043-9.

Probing glycosaminoglycan spectral signatures in live cells and their conditioned media by Raman microspectroscopy.

S. Brézillon¹, V. Untereiner^{1,20}, HT. Mohamed, J. Hodin¹, A. Chatron-Collet¹, FX. Maquart^{1,18}, GD. Sockalingum¹. *Analyst*. 2017 Apr 10;142(8):1333-1341. doi: 10.1039/c6an01951j.

Implementation of infrared and Raman modalities for glycosaminoglycan characterization in complex systems.

HT. Mohamed¹, V. Untereiner^{1,20}, GD. Sockalingum¹, S. Brézillon¹.

Glycoconj J. 2017 Jun;34(3):309-323. doi: 10.1007/s10719-016-9743-6. Epub 2016 Dec 7.

'Click'-xylosides as initiators of the biosynthesis of glycosaminoglycans: Comparison of mono-xylosides with xylobiosides.

A. Chatron-Collet^{1,18}, C. Brusa², I. Bertin-Jung, S. Gulberti, N. Ramalanjaona, S. Fournel-Gigleux, S. Brézillon^{1,18}, M. Muzard², R. Plantier-Royon², C. Rémond, Y. Wegrowski^{1,18}.

Chem Biol Drug Des. 2017 Mar;89(3):319-326. doi: 10.1111/cbdd.12865.

First plasma and tissue pharmacokinetic study of the YNSG cyclopeptide, a new integrin antagonist, using microdialysis.

F. Slimano¹, Z. Djerada⁹, S. Bouchene⁹, L. Van Gulick¹, S. Brassart-Pasco¹, S. Dukic¹.

Eur J Pharm Sci. 2017 Jul 15;105:178-187. doi: 10.1016/j.ejps.2017.05.016.

A new gallium complex inhibits tumor cell invasion and matrix metalloproteinase MMP-14 expression and activity.

A. Mohsen, P. Collery, R. Garnotel¹, B. Brassart, N. Etique, G. Mohamed Sabry, R. Elsherif Hassan, P. Jeannesson, D. Desmaële, H. Morjani¹.

Metalomics. 2017 Aug 16;9(8):1176-1184. doi: 10.1039/c7mt00049a.

Tomentosin Induces Telomere Shortening and Caspase-Dependant Apoptosis in Cervical Cancer Cells.

N. Merghoub¹, H. El Btaouri¹, L. Benbacer, S. Gmouh, C. Trentesaux, B. Brassart, M. Attaleb, C. Madoulet¹, T. Wenner, S. Amzazi, H. Morjani¹, M. El Mzibri.

J Cell Biochem. 2017 Jul;118(7):1689-1698. doi: 10.1002/jcb.25826.

Tau protein as a possible marker of cerebrospinal fluid leakage in cerebrospinal fluid rhinorrhoea: A pilot study.

JB. Oudart^{1,18}, L. Zucchini¹⁸, FX. Maquart^{1,18}, X. Dubernard¹⁸, M. Labrousse¹⁸, G. Fiabane¹⁸, A. Quedreux¹⁸, F. Litre¹⁸, L. Ramont^{1,18}.

Biochem Med (Zagreb). 2017 Oct 15;27(3):030703. doi: 10.11613/BM.2017.030703. (MEDyC – CHU)

Cytotoxicity of Labruscol, a New Resveratrol Dimer Produced by Grapevine Cell Suspensions, on Human Skin Melanoma Cancer Cell Line HT-144.

L. Nivelle¹, J. Hubert², E. Courot^{FED4231}, N. Borie², JH. Renault², JM. Nuzillard², D. Harakat², C. Clément^{FED4231}, L. Martiny¹, D. Delmas^{FED4231}, P. Jeandet, M. Tarpin¹.

Molecules. 2017 Nov 9;22(11). pii: E1940

Anti-Cancer Activity of Resveratrol and Derivatives Produced by Grapevine Cell Suspensions in a 14 L Stirred Bioreactor.

L. Nivelle¹, J. Hubert², E. Courot^{FED4231}, P. Jeandet, A. Aziz, JM. Nuzillard², JH. Renault², C. Clément^{FED4231}, L. Martiny¹, D. Delmas^{FED4231}, M. Tarpin.

Molecules. 2017 Mar 16;22(3). pii: E474.

Mussel as a Tool to Define Continental Watershed Quality

M. Palos Ladeiro⁴, I. Barjhoux⁴, A. Bigot-Clivot⁴, M. Bonnard⁴, E. David⁴, O. Dedourge-Geffard⁴, E. Geba⁴, E. Lance⁴, M. Lepretre⁴, G. Magniez⁴, D. Rioult⁴, D. Aubert⁸, I. Villena⁸, G. Daniele, A. Salvador, E. Vulliet, J. Armengaud, A. Geffard⁴.

Organismal and Molecular Malacology, InTech, DOI: 10.5772/67995

Publications internationales communes 2016 (n=15)

Design, Synthesis, and Use of MMP-2 Inhibitor-Conjugated Quantum Dots in Functional Biochemical Assays.
E. Bourguet², K. Brazhnik, A. Sukhanova¹¹, G. Moroy, S. Brassart-Pasco¹, AP. Martin^{1,8}, I. Villena⁸, G. Bellon¹, J. Sapi², I. Nabiev¹¹.
Bioconjugate Chem. 2016, 27, 1067-1081. doi: 10.1021/acs.bioconjchem.6b00065.

Neural correlates of contrast and humor: Processing common features of verbal irony.
Obert¹⁴, F. Gierski^{14,18}, A. Calmus^{14,18}, A. Flucher¹⁴, C. Portefaix^{10,18}, L. Pierot¹⁸, A. Kaladjian^{14,18}, S. Caillies¹⁴.
Plos One, (2016) vol 11, issue 11, Article number e0166704.

Predictive Factors of Rapid Cognitive Decline in Patients with Alzheimer Disease.
C. Barbe⁷, I. Morrone^{14,18}, JL. Novella⁷, M. Dramé⁷, A. Wolak-Thierry⁷, JP. Aquino, J. Ankri, D. Jolly⁷, R. Mahmoudi⁷.
Dement Geriatr Cogn Dis Extra(2016), 6(3):549-558. DOI :10.1159/000450975.

Self-defining memories in recently detoxified alcohol-dependent patients.
C. Cuervo-Lombard¹⁸, D. Raucher-Chéné^{14,18}, S. Barrière¹⁸, M. Van der Linden, A. Kaladjian^{14,18}.
Psychiatry Research (2016), 246, 533-538. DOI : 10.1016/j.psychres.2016.09.040.

Accute effects of aerobic exercice on feelings of energy in relation to age and gender.
FD. Legrand¹⁴, W. Bertucci¹⁶, J. Hudson.
Journal of Aging & Physical Activity(2016), 24, 72-78. Doi: 10.1123/japa.2014-0121.

Analysis of the effect of LRP-1 silencing on the invasive potential of cancer cells by nanomechanical probing and adhesion force measurements using atomic force microscopy.
A. Le Cigne¹¹, L. Chieze¹¹, A. Beaussart, S. El-Kirat-Chatel, YF. Dufrene, S. Dedieu¹, C. Schneider¹, L. Martiny¹, J. Devy¹, M. Molinari¹¹.
Nanoscale (2016), 8(13), 7144-7154, DOI: 10.1039/c5nr08649c.

Stage-specific changes in the water, Na+, Cl- and K+ contents of organelles during apoptosis, demonstrated by a targeted cryo correlative analytical approach.
F. Nolin¹¹, J. Michel¹¹, L. Wortham¹¹, P. Tchelidze¹, V. Banchet¹¹, N. Lalun¹, C. Terryn²⁰, D. Ploton¹.
PLOS ONE (2016) 11(2), e0148727, DOI: 10.1371/journal.pone.0148727.

Bio-Guided Isolation of Methanol-Soluble Metabolites of Common Spruce (*Picea abies*) Bark by-Products and Investigation of Their Dermo-Cosmetic Properties.
A. Angelis², J. Hubert², N. Aliannis, R. Michalea, A. Abedini², JM. Nuzillard², SC. Gangloff¹³, AL. Skaltsounis, JH. Renault².
Molecules. 2016 Nov 21;21(11):1586. doi: 10.3390/molecules21111586.

Triterpenoids from the leaves of Alphitonia xerocarpus Baill and their biological activity.
D. Muhammad², N. Lalun, H. Bobichon, E. Le Magrex Debar¹³, SC. Gangloff¹³, M. Nour, L. Voutquenne-Nazabadioko².
Phytochemistry. 2016 Sep;129:45-57. doi: 10.1016/j.phytochem.2016.07.005. Epub 2016 Jul 21.

Bioactivity-guided identification of antimicrobial metabolites in *Alnus glutinosa* bark and optimization of oregonin purification by Centrifugal Partition Chromatography.
A. Abedini^{2,13}, S. Chollet², A. Angelis², N. Borie², JM. Nuzillard², AL. Skaltsounis, R. Reynaud, SC. Gangloff¹³, JH. Renault², J. Hubert².
J Chromatogr B Analyt Technol Biomed Life Sci. 2016 Sep 1;1029-1030:121-127. Doi :10.1016/j.jchromb.2016.07.021. Epub 2016 Jul 11.

In Vitro Dermo-Cosmetic Evaluation of Bark Extracts from Common Temperate Trees.

J. Hubert², A. Angelis², N. Aligiannis, M. Rosalia, A. Abedini², A. Bakiri², R. Reynaud, JM. Nuzillard², SC. Gangloff¹³, AL. Skaltsounis, JH. Renault².

Planta Med. 2016 Oct;82(15):1351-1358. doi: 10.1055/s-0042-110180. Epub 2016 Jun 28. PMID: 27352384.

Antibacterial and cytotoxic triterpenoids from the roots of *Combretum racemosum*.

DP. Gossan², A. Alabdul Magid², PA. Yao-Kouassi, J. Josse¹³, SC. Gangloff¹³, H. Morjani¹, L. Voutquenne-Nazabadioko².

Fitoterapia. 2016 Apr;110:89-95. doi: 10.1016/j.fitote.2016.03.002. Epub 2016 Mar 2.

Ethanolic Extract of Algerian Propolis and Galangin Decreased Murine Melanoma Tumor Progression in Mice.

L. Benguedouar, M. Lahouel, SC. Gangloff¹³, A. Durlach¹⁸, F. Grange¹⁸, P. Bernard¹⁸, F. Antonicelli¹⁷.

Anticancer Agents Med Chem. 2016;16(9):1172-83. doi: 10.2174/1871520616666160211124459.

Zebra mussel as a new tool to evidence contamination of freshwater by waterborne *Toxoplasma gondii*.

E. Kerambrun⁴, M. Palos Ladeiro⁴, A. Bigot-Clivot⁴, O. Dedourge Geffard⁴, E. Dupuis⁸, I. Villena⁸, D. Aubert⁸, Geffard A⁴.

Journal of Applied Microbiology, 120, 498-508.

Bioaccumulation of Toxoplasma and Cryptosporidium human protozoa by the crustacean *Gammarus fossarum*: involvement in biomonitoring survey and in trophic transfer.

A. Bigot-Clivot⁴, M. Palos Ladeiro⁴, A. Lepoutre⁴, F. Donaz⁴, I. Bonnard⁴, Dubey J. P., I. Villena⁸, D. Aubert⁸, O. Geffard, A. François, A. Geffard⁴.

Ecotoxicology and Environmental Safety, 133, 188-194